



SAFETY DATA SHEET

CALCIUM HYDROXIDE

SECTION 1: PRODUCT IDENTIFICATION

PRODUCT



Name Calcium Hydroxide.

Other means of identification Hydrated Lime, High Calcium, Calcium Hydrate.

Brand CALIDRA, CAL DEL VALLE, CAL LOS ARCOS, CALES DE PUEBLA

Formula $\text{Ca}(\text{OH})_2$

Uses of product It is used in the construction industry for the production of masonry mixtures, lime-based mortars, plasters, fine and coarse finishes, block gluing, brick gluing, adobe gluing.

MANUFACTURER

General Office's

Servicios Administrativos Calidra, S.A. de C.V.

Av. Vasco de Quiroga # 1800 PH-A Col. Santa Fe Delegación Álvaro Obregón. Ciudad de México. C.P. 01210 Tel 01 (800) 021 9711 www.calidra.com

Av. Lázaro Cárdenas #303 Col. Haciendas de la Sierra, C.P. 66250, San Pedro Garza García, Nuevo León. C.P. 66250 Tel +52 81 17 34 1520

www.calidra.com

NORTHER REGION

NORTH OFFICES

Av. San Jeronimo #310 Piso 6 Despacho 601
Edificio Altreca, San Jeronimo, Monterrey,
Nuevo León C.P. 64640
Tel: 01 (811) 734 1520

MONTERREY PLANT

Carretera a Villa de García Km. 8.5
García Nuevo León. C.P. 66000.
Tel: 01 (818) 150 6620.

Carretera Grutas de García S/N Col. García Municipio
de García Nuevo León. C.P. 66000
Tel: 01 (811) 734 1520

TORREON PLANT

Av. 4ta. y Calle 16 Colonia Vicente Guerrero,
Torreón Coahuila C.P. 27380
Tel: 01 (871)722 1322 / 01 (800) 536 7323.

SONORA PLANT

Carretera a Sahuaripa Km. 5.5, Parque Industrial
Hermosillo Sonora C.P. 83299
Tel: 01 (662) 208 0506 al 0511

EASTERN REGION

ORIENTE OFFICES

Calle Opera #2 Lomas de Angelópolis
Edificio LED GNP San Andrés Cholula,
Puebla, Pue. C.P.72830
Tel: 01 (222) 309 1400

ACAJETE PLANT

Ex-hacienda de San Martín La Joya s/n
Acajete, Puebla C.P. 75111
Tels.: 01 (223) 275 3600

MORELOS PLANT

Cerro Tenayo El Chico s/n
Buenavista Yauatepec Centro, Morelos
C.P.62730 Tel: 01 (735)394 1775

CENTRAL REGION

OFICINAS CENTRO

Av. Paseo Miranda #17, Monte Miranda,
El Marques, Santiago de Queretaro, Qro.
C.P. 76240 Tel: 01 (442) 229 0435

APAXCO PLANT

Av. Industrial s/n, Colonia Centro, Apaxco
de Ocampo, Estado de México C.P.
55660
Tel: 01 (599) 998 2750 / 01 (800) 536 3340

PROGRESO PLANT

Carretera Progreso-Ixmiquilpan, s/n Km.
7.3 Poblado de Xochitlán Progreso de
Obregón Hidalgo C.P. 42730 Tel: 01
(738)725 0516

VIZARRON PLANT

Carretera San Juan del Río-Xilitla, Ramal
San Joaquín KM. 5, Vizarrón, Cadereyta,
de Montes, Querétaro, Querétaro.
C.P. 76509 Tel: 01 (441) 296 4104

BERNAL PLANT

Carretera Bernal-Tolimán km. 1
Villa Bernal Ezequiel Montes, Querétaro
C.P. 76680 Tel: 01 (441) 296 4104

IRAPUATO PLANT

Camino existente a Valencianita s/n,
Colonia Ex Hacienda del Marqués,
Irapuato, Guanajuato.
C.P. 36821 Tel: 01 (462) 633 2050

MICHIUCA PLANT

Carretera Michiuca-Naupan Km. 2,
Minchiuca, Huauchinango, Puebla.
C.P. 77165

WESTER-BAJIO REGION

TECOLOTLAN PLANT

Extramuros #2 Domicilio Conocido
Rancho Tenexitlan, Tecolotlan Jalisco
C.P.48540 Tel: 01 (385) 776 4154

ZAPOTILIC PLANT

Av. J. Miguel Fernandez #1 Colonia
Huescalapa, Zapotilic Jalisco
C.P.49630 Tel: 01 (341)414 2184

SANTA CRUZ PLANT

Vicente Trigo Oriente #100 Col. Santa
Cruz de las Flores, Tlajomulco de
Zuñiga Jalisco C.P. 45640
Tel: 01 (333) 796 0769

MICHOACAN PLANT

De La Galera Hacia Abajo,
Jungapeo, Michoacán
C.P. 61470 Tel: 01 (715) 163 9923

AGUASCALIENTES PLANT

Av. Héroe de Nacozari Norte #3007
Fracc. Las Hadas. Aguascalientes,
Aguascalientes. C.P. 20140.
Tel: 01 (449) 914 2206

SAN LUIS POTOSI PLANT

Carretera Central Km 1.5 Tramo SLP-
Huizache, San Francisco Soledad De
Graciano Sánchez, San Luis Potosí. C.P.
78435 Tel: 01 (444)818 1516 / 01 (800) 480
3700


Carretera San Luis Potosí-Río Verde Km.
32, Poblado Los Matías, Zaragoza, San
Luis Potosí C.P. 79540 Tel: (444) 818 1516

Acceso Norte #110 Col. Industrial
Mexicana San Luis Potosí, S.L.P C.P. 78435
Tel: 01 (444) 812 3119

ZACATECAS PLANT

Carretera Zacatecas-Saltillo Km 24.1
Laguna Seca Panuco, Zacatecas.
C.P. 98548 Tel: 01 (492) 949 0214

SECTION 2. HAZARD(S) IDENTIFICATION

Signal Word	Danger
Hazard Pctograms	
Hazard	<p>H315: Causes skin irritation 2. H318: Causes serious eye irritation 1. H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled 1B.</p>
Caution tips	<p>CAUTION P102: Keep out of the reach of children. P103: Read the label before use. P201: Obtain special instructions before use.</p>

P202: Do not tamper until you have read and understood the safety precautions.

P280: Wear protective gloves / protective clothing / eye protection / face protection.

P261: Do not breathe dust.

P264: Wash your hands thoroughly after handling.

RESPONSE TO EMERGENCIES

P314: Get medical attention if you do not feel well.

P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P302 + P352: IF ON SKIN: Wash with plenty of water and soap.

P332 + P313: In case of skin irritation: consult a doctor.

P305 + P351: IF IN EYES: Rinse cautiously with water for several minutes.

P301 + P330 + P331: IN CASE OF INGESTION: Rinse mouth. Do not induce vomiting.

STORAGE:

P402: Store (dry product) in dry place

DISPOSAL:

P501: Dispose of contents and container in accordance with local, regional, national and international regulations.

WHMIS/ GHS/

NOM 018 STPS

Otros peligros

Eye damage / Eye irritation - Category 2

Severe eye injury/eye irritation. 1, 2A.

Specific target organ toxicity (single exposure) 3.

No

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient name	Concentration %	CAS number
Calcium Hydroxide Ca(OH) ₂	78-85%	01305-62-0

SECTION 4: FIRST AID MEASURES

Inhalation	Remove from the source of dust or take the victim to fresh air. Get medical attention immediately, if the victim does not breathe, give artificial respiration.
Ingestion	Do not induce vomiting. Contact a doctor immediately.
Skin Contact	Wash gently and carefully with water. Consult your doctor if the exposed area is large or if irritation persists
Eye Contact	Do not rub your eyes. Contact with dust can cause irritation by rubbing. Wash eyes immediately with water. Consult your doctor if necessary.

SECTION 5: FIRE-FIGHTING MEASURES

Fire	Not considered to be a fire hazard
Explosion	Not considered to be an Explosion Hazard
Fire Extinguishing Media	Appropriate extinction measures The product is not combustible. Use extinction measures that are appropriate to local circumstances and the surrounding environment.
Especial Information	Recommendations for firefighting personnel Avoid the generation of dust. Use respirators

SECTION 6: MEASURES IN CASE OF ACCIDENTAL RELEASE

Steps to be taken in case material is spilled	<ul style="list-style-type: none"> • Ventilate the area of the leak or spill. • Keep dust levels to a minimum. • Keep unnecessary and unprotected people away from the spill area. • Wear the appropriate personal protective equipment Section 8. • Avoid inhaling dust, ensure sufficient ventilation or use suitable breathing equipment (see section 8). • Spills: Pick up and place in a suitable container for recovery or disposal, using a method that does not generate dust. • Do not rinse or pour waste into the sewer. • Spill residues can be diluted with water, neutralized with diluted acid such as acetic, hydrochloric or sulfuric. • Absorb the neutralized caustic residue on clay or other inert substance and pack it in a suitable container for disposal in accordance with local, state, federal, national and international disposal and recycling regulations.
--	--

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling	<ul style="list-style-type: none"> • Avoid contact with skin and eyes. • Wear protective equipment (referred to in section 8 of this safety data sheet). Do not wear contact lenses when handling this product. • Keep dust levels to a minimum. • Minimize the generation of dust. • Avoid dust using ventilation or adequate filters in the places where it is handled. Whenever possible, mechanical manipulation is better.
Recommendations for storage	<ul style="list-style-type: none"> • Store in a well-closed and identified container, stored in a cool, dry and ventilated area. • Protect against physical damage. • Isolate incompatible substances. Containers of this material can be dangerous when they are empty, since they retain product residues (dust, solids); Observe all warnings and

precautions listed for the product. See section 10 of Incompatible Substances.

- Keep the product away from sources of moisture, heat and ignition.
- Store in the area corresponding to corrosives.
- Avoid bulk storage.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Ingredient name	Exposure limits
Calcium Hydroxide	<i>OSHA PEL (United States, 2/2013).</i> TWA: 5mg/m ³ / 8h / Respirable fraction. TWA: 15mg/m ³ / 8h/ Total Dust.
	<i>ACGIH TLV (United States, 4/2014).</i> TWA: 5mg/m ³ / 8h
	<i>NIOSH REL (United States, 10/2013).</i> TWA: 5mg/m ³ / 10h
	MSHA PEL / TWA: 8/40 HORAS: 5mg/m ³ . NOM-010-STPS-2014 / 5mg/m ³ / 8h

Engineering Control Measures

- Ventilation: Ensure adequate ventilation in workplace and apply appropriate PPE as necessary.
- Dust Control: Use exhaust ventilation or other engineering controls at handling points to keep airborne levels below recommended exposure limits and /or wear personal protective equipment
- Eye Wash: Keep emergency eye wash supplies at the workplace.

Personal Protective Equipment:

- Eye protection: Use goggle or safety lens to protect against chemicals and / or full face shield where possible dust or splash solutions. Keep the eye wash fountain and quick drain facilities in the work area.
- Hand protection: Wear dry protective gloves. Avoid gloves with open fabrics.
- Skin protection: Wear suitable protective clothing to avoid contact with skin with long sleeves and not torn or broken.
- Footwear: Wear closed footwear.
- Respiratory protection: It is recommended to use a mask or respirator for powders with protection equal to or greater than N95.



Hygiene Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using lavatory and the end of the working period. Wear clean, dry personal protective equipment.

Environmental: Ventilation systems should be filtered before discharge to atmosphere.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Common Name	Calcium Hydroxide, Hydrated Lime, Lime Off
Chemical Formula	Ca(OH) ₂
Molecular Weight	74.10 g/M
State Physical	Solid Powder
Color	White
Odor	Odorless
Stability	Reactive
Flammability:	Not-flammable
Explosivity:	Not-flammable
Flas Pt:	Non-Combustible
Melting point	580°C (1076 °F) Se deshidrata a esta temperatura.
Boiling point	Not applicable
Vapor Density:	Not applicable
Solubility in Water	1.650 g / l water at 20 ° C. 100% Solubility in Ammonium Tetrachloride NH ₂ Cl ₄ .
pH	12.45 in a 1% solution in water at 25 ° C
% Volatile	0
Density	0.60-0.70 kg/l.
Vapor Press	Not applicable
Freezing Point	Not applicable
Self ignition	Not applicable
Viscosidad	Not available
Partition Coefficient:	Not available
Evaporation	Not applicable
Decomposition temperature:	540°C (1004°F)
Additives:	Not aplicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity	<p>The material will not react in a dangerous manner. Calcium hydroxide absorbs carbon dioxide from the air, and forms calcium carbonate. Reacts slowly with water forming hydrated compounds, releasing heat and producing a strong alkaline solution.</p> <p>Reacts chemically with acids and other compounds and chemical elements to form calcium-based compounds. Explosive when mixed with organic Nitrogen compounds.</p>
Chemical Stability	Under normal conditions of use and storage (dry conditions), Calcium Hydroxide is stable. Absorbs carbon dioxide from the air gradually forming calcium carbonate.
Possibility of Hazardous Reactions	<p>The material does not develop dangerous polymerization.</p> <p>Calcium Hydroxide reacts exothermically with acids forming calcium salts.</p>
Conditions to avoid	Humid environments.
Incompatible materials	Strong oxidizing agents The wet material is alkaline and reacts with acids, ammonium salts, aluminum and other reactive metals. For example: Tri-Boron Floride, Tri-Floride Chlorine, Ethanol, Fluorine, Hydrogen Fluoride, Phosphorus Pentoxide, Strong Acids.
Hazardous Decomposition Products	It undergoes thermal decomposition at 540 ° C producing Calcium Oxide and water.

SECTION 11: TOXICOLOGICAL INFORMATION

Routes of entry	By ingestion and inhalation, contact with skin, eyes, mucous membranes in general
Effects or prolonged exposure:	<p><i>Skin: Irritating and dry skin, depending on exposure, humidity and contact duration.</i></p> <p><i>Eyes: Dangerous with eye contact. Possible injuries and blindness if left untreated for a prolonged period. (Rabbit 10mg / 24hr- severe damage).</i></p> <p><i>Inhalation: If inhaled in the form of dust generated irritation in the respiratory tract, coughing and sneezing.</i></p> <p><i>Ingestion: May cause gastrointestinal irritation and pain, vomiting, diarrhea, drop in blood pressure, dizziness and headache. The magnitude of the damage depends on the amount ingested. (Rat LD50: 7340 mg / kg).</i></p>
Effects by Chronic Exposure	<p><i>Dermatitis: Prolonged contact causes redness, peeling and cracking of the skin.</i></p> <p><i>Sensitization: No sensitizing effects known.</i></p>

Carcinogenicity: There are no carcinogenicity data available for this product. Calcium hydroxide is not listed as a carcinogen by ACGIH, MSHA, OSHA, NTP, DFG, RSST or IAARC.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity	Severe aquatic toxicity in high concentrations of high alkalinity (pH 12.454) in concentrations of 1g / l.
Persistence and degradability:	Not applicable
Bioaccumulative potential:	This material shows no effect of bioaccumulation and toxicity of the concentration of the food chain
Mobility in soil:	Low solubility and mobility in most soil conditions.
Other adverse effects:	No relevant information available..
Additional information	Product usually not dangerous at low concentrations. Frequently used in the treatment of water and soil.

SECTION 13: DISPOSAL CONSIDERATIONS

- Recover non-contaminated products whenever possible and reuse or recycle them for other beneficial purposes. If you can not recover them, discard in accordance with federal, state or local requirements.
- The processing, use or contamination of this product may change the characteristics of the waste profile and the waste management options.
- Do not dispose of in bodies of water.

SECTION 14: TRANSPORT / SHIPPING INFORMATION

- Calcium Hydroxide is not classified as dangerous for transportation.
- See the regulations for land transportation of hazardous materials and wastes.
- Transport in closed containers that are vertical and safe. Make sure that the people who transport the product know what to do in case of accident or spill.

SECTION 15: REGULATORY INFORMATION

SARA 302/304	Emergency planning and release notification: Not listed
SARA 311	Hazard categories (40 CFR 370) - regulated under OSHA: Acute and chronic.
SARA 312	Emergency planning and release notification: No
SARA 313	Inventory of release of toxic substances (TRI) List of chemical substances: Not listed
CERCLA	Calcium hydroxide is not in the list
TSCA 8(a) CDR Ex / P	Undetermined
RCRA	Calcium hydroxide is not listed or classified
CWA 311	Calcium hydroxide has been removed from the list of hazardous substances in the Clean Water Act (CWA) (11/13/79) (44FR65400).

FDA	Calcium hydroxide has been determined as generally safe (GRAS) by FDA 21CFR 184.1205
PROP 65	Subject to the 1986 warning and labeling requirements on the Safety of Drinking Water and the Toxic Application of California Law (preposition 65) based on the presence of traces of metals and silica (at or below detection levels) known by the state of California as causing cancer. " Non-detectable concentrations are reported at 1/2 of the detection level.
TSCA	Calcium Hydroxide is listed in the inventory of the TSA that promotes the EPA of the chemicals currently marketed, its registration is 1305-62-0 Active.

SECTION 16: OTHER INFORMATION

CAS 1305-62-0

Definitions	<p>WHMIS: Information System on Hazardous Materials Used at Work. GHS: Globally Harmonized System of Classification and Labeling of Chemical Products. ACGIH: Conference of the American Government NIOSH: National Institute for Occupational Health and Safety. MSHA: Mine, Safety and Health Administration. NTP: Technical Prevention Notes. DFG: German Foundation for Scientific Research. RSST: Internal Regulation of Safety and Health at Work. IARC: International Agency for Cancer Research. SARA: Document for the Planning of local and state emergencies around Hazardous Chemicals. CERCLA: Comprehensive Law on Response, Compensation and Environmental Responsibility. TSCA: Law of Control of Toxic Substances. RCRA: Law of Conservation and Recovery of Resources. TWA: Average Weighted in Time. PEL: Exposure limit Allowed. TLV: Threshold Limit Value. REL: Recommended exposure limit. PROP 65: Law of Safe Drinking Water and Law of Toxic Application. HMIS: Hazardous Materials Identification System. CAS: Abstract Chemicals Service (CAS Registration Number) CFR: Code of Federal Regulations. DEP: Department of Environmental Protection. DOT: Department of Transportation. FDA: Food and Drug Administration. NFPA: National Fire Protection Administration. OSHA: Occupational Health and Safety Administration. IATA: International Association of Air Transport. IBC: Intermediate bulk container. IMDG: International maritime goods. MARPOL: International Convention for the Prevention of Contamination of Ships. STPS: Secretary of Labor and Social Prevention. EPA: Environmental Protection Agency of the United States.</p>
--------------------	--

Date of modification	2/12/2024
Version	3
Prepared by	bbarajas@calidra.com.mx ; fruz@calidra.com.mx
Notice for the reader	<p>Grupo Calidra and its subsidiaries provide the information contained in this document in good faith, but makes no representation as to its accuracy. This document is only intended to guide the appropriate preventive management of the material by a properly trained person. The final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although some hazards are described, it can not be guaranteed that these are the only hazards that exist.</p>
